



Township N. X North, Range N. IV East 2nd Mer. Surveyed by A. Lee 1819.

Description of the Soil on the interior sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Land Hilly 3 rd rate Oak & Hickory	33.34	Land Hilly 3 rd rate Oak Hickory Beech &c.	31.32	Land Hilly 3 rd rate Oak Hickory Beech &c.
25.36	Same	25.34	Same	29.32	Same
25.26	Broken 3 rd rate Oak Hickory Beech &c.	25.28	Same	29.31	Same
24.25	Same	22.27	Same	29.30	Same
23.24	Same	21.26	Same	29.29	Same
13.24	Land Hilly 3 rd rate timber Same	18.22	Same	19.30	Same
13.14	Same	18.16	Same	19.20	Same
12.13	Same	10.15	Same	19.20	Same
11.12	Land 2 nd rate Oak Hickory Beech &c.	9.10	Same	18.19	Same
1.12	Same	3.10	Land level 3 rd rate Oak Hickory Beech &c.	17.18	Same
1.2	Land level 3 rd rate timber Same	3.4	Same	17.17	Same
24.35	Land Hilly 3 rd rate Oak Hickory Beech &c.	22.33	Land Hilly 3 rd rate timber Same	17.16	Same
26.35	Same	28.33	Same	17.15	Same
26.24	Same	28.29	Same	17.14	Same
23.26	Same	24.28	Same	17.13	Same
22.23	Same	20.21	Same	17.12	Same
14.23	Same	16.21	Land level 3 rd rate timber Same	17.11	Same
14.15	Same	16.17	Land Hilly 3 rd rate timber Same	17.10	Same
11.11	Broken 3 rd rate timber Same	9.16	Same	17.9	Same
10.11	Land 2 nd rate timber Same	8.9	Same	17.8	Same
2.11	Same	4.9	Same	17.7	Same
2.3	Same	4.5	Same	17.6	Same



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

Township N. 10 North, Range N. 4 East 2. Mer.

Range line Var. 6.30 E.		North	
North	Between Ranges 4 & 5 E. Township 10 North	On the East Side of Sec. 13	
	On the East Side of Sec. 36	20.59 A. Brook 3 lks N. E.	
1.50	A. Beech 12 in. diam.	40.00 1st Sec. corner N. Oak 14 S 20 N 77	
37.87	A. Brook 6 lks East	Beech 12 S 50 N 77	
40.00	1st Sec. corner Beech 13 S 21 N 77	45.74 A. Hickory 14 in. diam.	
	do 14 S 63 E 24	75.59 A. Brook 4 lks East	
80.00	1st post corner of Sec. 25 S 36	80.00 1st post corner of Sec. 12 N 13	
	Beech 8 S 53 E 23	Dequock 5 S 50 E 7	
	do 20 S 45 N 20	Beech 6 S 77 N 71	
	Rolling land, Oak, Beech &c.	Broken land, Oak, Beech, Hickory	
North	On the East Side of Sec. 25	North	On the East Side of Sec. 12
6.50	A. Hickory 24 in. diam.	15.25	A. Beech 20 in. diam.
30.74	A. Brook 4 lks East	19.25	A. Beech 50 lks East
40.00	1st Sec. corner in Brook 15 lks S. E.	21.18	Same beech 50 lks East
	Sapashus 10 S 30 N 35	40.00	1st Sec. corner Beech 9 S 24 N 70
	Beech 8 S 40 E 44		do 6 S 58 E 13
55.50	A. Brook 8 lks East	50.18	An Ash 30 in. diam.
73.56	A. Poplar 30 in. diam.	80.00	1st post corner of Sec. 18 12
80.00	1st post corner of Sec. 24 S 25		Beech 8 S 5 N 76
	Beech 12 S 12 N 40		Spruce 20 South 33
	B. Oak 30 S 70 E		Good clearing land, Ash, Beech, Oak, Ang. Spruce
	Land & timber same	North	On the East Side of Sec. 1
North	On the East Side of Sec. 24	15.12	A. D. Walnut 36 in. diam.
18.74	A. Sugar 12 in. diam.	40.00	1st Sec. corner Beech 20 S 2 E 16
22.00	A. Brook 10 lks East		do 20 S 2 N 23
40.00	1st Sec. corner Ash 4 S 16 N 76	82.50	1st post for corner of Ranges 10 & 11 Range 405 E
	do 4 S 6 N 78		Hickory 30 S 30 N 24
59.75	A. D. Oak 24 in. diam.		Beech 21 S 48 E 26
70.62	A. Brook 2 lks East		Rich land, Poplar, Beech, Walnut, Sugar &c.
80.00	1st post corner of Sec. 13 N 24		Ang. Spruce June 18th 1825
	Hickory 13 S 30 E 9		Surveyed by John M. Donald D. S.
	do 8 S 22 N 9		
	Rolling land, Beech, Oak, Hickory &c.		

West 2 township boundaries of Range 4 East
On the South Side of Sec. 36
20.00 A. Beech 14 in. diam.
40.00 gr. Sec. corner Sugar 12 St 45 E 20
Bickory 11 St 60 E 20
80.00 Set post corner of Sec. 35 E 36
Beech 7 St 59 N 24
do 8 St 59 E 35
Broken land. Beech. Oak. Hickory 8.
West On the South Side of Sec. 35
40.00 gr. Sec. corner Beech 12 St 45 E 29
do 7 St 46 N 25
80.00 Set post corner of Sec. 34 E 35
Beech 20 St 53 E 24
Sugar 40 St 52 N 37
Broken land. Oak. Beech 8.
West On the South Side of Sec. 34
40.00 gr. Sec. corner Sugar 12 St 49 E 6
Beech 6 St 28 N 14
80.00 Set post corner of Sec. 33 E 34
Dogwood 5 St 43 E 11
Cane 12 St 40 N 9
Broken land. Oak. Beech 8.
West On the South Side of Sec. 33
7.00 H. Beech 20 lbs S. W.
40.00 gr. Sec. corner W. Oak 24 St 50 E 38
Beech 14 St 53 N 22
80.00 Set post corner of Sec. 32 E 33
Beech 13 St 52 E 12
Maple 8 St 26 N 21
Land Very Broken. Oak. Beech 8.

West On the South Side of Sec. 32
40.00 gr. Sec. corner Hickory 12 St 49 E 4
W. Oak 6 St 34 N 10
62.37 A. Beech 50 lbs S. W.
80.00 Set post corner of Sec. 31 E 32
W. Oak 24 St 49 E 6
Dogwood 6 St 47 N 16
Land Very Broken. Oak. Hickory 8.
West On the South Side of Sec. 31
40.00 gr. Sec. corner Ironwood 7 St 88 E 15
Beech 12 St 83 N 9
72.13 Intersected the Range line Between Ranges 30 & 31
at the Corner of Ranges 7 & 10 N. Sec. 1. 6. 31. 36
Land Very Broken. Oak & Hickory 8.
June 14th 1819
Surveyed by John M. Donald D. T.

Subdivisions of Township 10 N R 4 East
North Between Sec. 35 & 36 Var 6.15
39.15 H. Beech 20 in. diam.
40.00 gr. Sec. corner Oak 24 St 48 E 30
Dogwood 4 St 38 N 15
60.13 A. Beech 14 in. diam.
80.00 Set post corner of Sec. 25. 26. 35. 36
Oak 24 St 55 E 3
Beech 8 St 47 N 17
Land Very Broken 3rd water Oak 14 in. 5th water, Sugar 12
East Between Sec. 25 & 36 On Brandon
40.00 Temporary gr. Sec. post
80.00 Intersected East boundary at post
Hilly 3rd water. Oak. Beech. Hickory 14 in. 5th water
West Corrected
6.76 In Oak 40 in. diam.
40.00 gr. Sec. corner Beech 9 St 30 E 32
Sugar 20 St 46 N 25
80.00 Section corner
North Between Sec. 25 & 26
8.00 H. M. Oak 20 in. diam.
40.00 gr. Sec. corner Oak 48 North 45. E 57.
Beech 24 St 30 N 38
43.75 A. Hickory 10 lbs East
51.00 A. Beech 20 in. diam.
80.00 Set post corner of Sec. 23. 24. 25. 26
Beech 10 St 55 E 12
Oak 10 St 11 N 7
Land Broken 3rd water. Beech. Oak. Sugar 12
East Between Sec. 24 & 25 On Brandon
40.00 Temporary gr. Sec. post
80.25 Intersected East boundary 3rd water North of post
Land Broken 3rd water. Beech. Oak. Hickory.
14 in. 5th water 8.

West Corrected Between Sec. 24 & 25
13.50 A. Hickory 15 in. diam.
40.12 1/2 gr. Sec. corner Oak 48 St 23 E 15
Beech 9 St 42 N 22
56.32 A. Beech 18 in. diam.
80.25 Section corner
North Between Sec. 23 & 24
8.90 A. B. Oak 24 in. diam.
14.00 A. Beech 10 lbs East
40.00 gr. Sec. corner A St 83 N 8
Beech 14 St 73 N 23
80.00 Set post corner of Sec. 13. 14. 23. 24
Beech 18 St 75 E 12
do 7 St 40 N 25
Land Very Broken 3rd water. Beech. Oak & Hickory
East Between Sec. 13 & 24 On Brandon
40.00 Temporary gr. Sec. post
80.50 Intersected East boundary 5th water South of post
Land Very Broken 3rd water. Oak. Beech. Hickory 8.
West Corrected
11.00 A. Beech 20 in. diam.
40.25 gr. Sec. corner Beech 18 St 65 E 15
do 14 St 55 N 11
80.50 Section corner
North Between Sec. 13 & 14
22.50 A. Beech 24 in. diam.
40.00 gr. Sec. corner Beech 4 St 86 E 25
do 18 St 55 N 10
62.75 A. Beech 15 lbs East
63.30 A. Walnut 36 in. diam.
80.00 Set post corner of Sec. 11. 12. 13. 14
Sugar 6 East 40
Hickory 12 St 46 N 6
No Soil & Timber Notes

West Between Townships 9th & 10th N Range 4 East
On the South Side of Sec. 36
24.13 A. Beech 14 in. diam.
40.00 gr. Sec. corner Sugar 12 S 51 N 70
Hickory 14 S 60 E 20
80.00 Set post corner of Sec. 35 S 36
Beech 7 S 59 N 24
do 8 S 89 E 35
Broken land. Beech. Oak. Hickory &
West On the South Side of Sec. 35
40.00 gr. Sec. corner Beech 12 S 45 E 29
do 7 S 46 N 25
80.00 Set post corner of Sec. 34 S 35
Beech 20 S 53 E 24
Poplar 40 S 82 N 37
Broken land. Oak. Beech &
West On the South Side of Sec. 34
40.00 gr. Sec. corner Sugar 12 S 49 E 6
Beech 6 S 28 N 14
80.00 Set post corner of Sec. 33 S 34
Dogwood 6 S 73 E 11
do 12 S 46 N 9
Broken land. Oak. Beech &
West On the South Side of Sec. 33
7.00 H. beech 20 lbs S. W
40.00 gr. Sec. corner N. Oak 24 S 50 E 38
Beech 14 S 53 N 22
80.00 Set post corner of Sec. 32 S 33
Beech 13 S 52 E 13
Maple 8 S 26 N 21
Land Very Broken. Oak. Beech &

West On the South Side of Sec. 32
40.00 gr. Sec. corner Hickory 12 S 49 E 4
N. Oak 6 S 34 N 10
64.37 A. beech 50 lbs S. W
80.00 Set post corner of Sec. 31 S 32
N. Oak 24 S 69 E 6
Dogwood 6 S 77 N 16
Land Very Broken. Oak. Hickory &
West On the South Side of Sec. 31
40.00 gr. Sec. corner Ironwood 7 S 88 E 15
Beech 12 S 83 N 9
73.13 Intersected the Range line Between Ranges 30 & 31
at the corner of Towns 9th & 10th N. Sec. 1. 6. 31. 36
Land Very Broken. Oak & Hickory &
June 14th 1819
Surveyed by John Mc Donald D. S.

Subdivisions of Township 10 N R 4 East
North Between Sec. 35 & 36 Run 6.15
39.15 A. Chest. Oak 20 in. diam.
40.00 gr. Sec. corner Chest. Oak 24 S 48 E 30
Dogwood 4 S 38 N 15
60.13 A. Beech 14 in. diam.
80.00 Set post corner of Sec. 25. 26. 35. 36
Oak 24 S 55 E 3
Beech 8 S 77 N 17
Land Hilly 3rd rate. Oak. Hickory. Dogwood. Sugar &
East Between Sec. 25 & 36 On Randon
40.00 Temporary gr. Sec. post
80.00 Intersected East boundary at post
Hilly 3rd rate. Oak. Beech. Hickory. Dogwood. Sugar &
West Corrected
6.76 An Oak 40 in. diam.
40.00 gr. Sec. corner Beech 9 S 30 E 32
Poplar 20 S 46 N 25
80.00 Section corner
North Between Sec. 25 & 26
8.00 H. M. Oak 20 in. diam.
40.00 gr. Sec. corner Oak 48 North 45. E 57.
Beech 24 S 30 N 38
43.75 H. Hickory 10 lbs East
51.00 A. Beech 20 in. diam.
80.00 Set post corner of Sec. 23. 24. 25. 26
Beech 10 S 35 E 12
Shale 10 S 11 N 7
Land Broken 3rd rate. Beech. Oak. Poplar. Ironwood
East Between Sec. 24 & 25 On Randon
40.00 Temporary gr. Sec. post
80.25 Intersected East boundary 3rd rate North of post
Land Broken 3rd rate. Beech. Oak. Hickory.
Dogwood & Sugar &

West Corrected Between Sec. 24 & 25
13.50 A. Hickory 15 in. diam.
40.12 gr. Sec. corner Oak 48 S 23 E 15
Beech 9 S 72 N 22
56.32 A. Beech 18 in. diam.
80.25 Section corner
North Between Sec. 23 & 24
8.90 A. B. Oak 24 in. diam.
14.00 A. Beech 10 lbs East
40.00 gr. Sec. corner A 14 S 3 N 8
Beech 14 S 73 N 23
80.00 Set post corner of Sec. 13. 14. 23. 24
Beech 18 S 75 E 12
do 7 S 40 N 25
Land Very Broken 3rd rate. Beech. Oak & Shale
East Between Sec. 13 & 24 On Randon
40.00 Temporary gr. Sec. post
80.50 Intersected East boundary 3rd rate South of post
Land Very Hilly 3rd rate. Oak. Beech. Hickory &
West Corrected
11.00 A. Beech 20 in. diam.
40.25 gr. Sec. corner Beech 18 S 65 E 15
do 14 S 35 N 11
80.50 Section corner
North Between Sec. 13 & 14
22.50 A. Beech 24 in. diam.
40.00 gr. Sec. corner Beech 4 S 86 E 25
do 18 S 85 N 10
62.75 A. Beech 15 lbs East
63.30 A. Walnut 36 in. diam.
80.00 Set post corner of Sec. 11. 12. 13. 14
Sugar 6 East 40
Hickory 12 S 46 N 6
No Soil & Timber Notes

East Between Sec^s 12 & 13 On Randome
 13.00 A. Brook 15 lbs South
 81.17 Intersected East Boundary 60 lbs North of post
 Sand Willy 3rd rate Oak, Ash & Beech
 West Corrected
 8.96 A. Oak 24 in. diam?
 40.58 g^r. Sec. corner Beech 24 S 31 E 12
 do 4 S 10 W 7
 60.04 A. Ash 24 in. diam?
 81.17 Section corner
 North Between Sec^s 11 & 12
 4.50 A. Brook 8 lbs East
 29.10 A. Beech 18 in. diam?
 40.00 g^r. Sec. corner Beech 10 S 30 W 36
 do 8 S 65 E 10
 50.00 A. Brook 15 lbs S.E.
 64.85 A. Oak 30 in. diam?
 80.00 Set post corner of Sec^s 1, 2, 11, 12
 Beech 9 S 43 E 31
 Oak 36 S 40 W 25
 Sand 2nd rate Oak, Beech, Ang^l. Spruce
 East Between Sec^s 1 & 12 On Randome
 40.00 Temporary g^r. Sec. post
 51.50 A. Brook 15 lbs S.E.
 81.32 Intersected East Boundary 48 lbs South of post
 Sand & timber as above
 West Corrected
 5.00 A. Hickory 8 in. diam?
 40.66 g^r. Sec. corner Hickory 5 S 7 W 20
 Beech 4 S 69 E 8
 47.85 A. W. Oak 18 in. diam?
 81.32 Section corner
 North Between Sec^s 1 & 2
 21.66 A. Poplar 30 in. diam?
 40.00 g^r. Sec. corner Beech 30 S 44 E 12
 do 10 S 83 W 26
 68.50 A. Stream 25 lbs East
 70.00 A. Hackberry 14 in. diam?
 82.46 Intersected North Boundary 65 lbs East of post
 Beech 14 S 33 E 25
 Ash 24 S 30 E 16
 Sand level Oak, Ash, Beech, Poplar, Ang^l. Spruce
 North Between Sec^s 3 & 35
 23.40 A. Beech 18 in. diam?
 40.00 g^r. Sec. corner Degraded 4 S 19 E 26
 Hickory 30 S 46 W 27
 60.00 A. Hickory 30 in. diam?
 80.00 Set post corner of Sec^s 26, 27, 34, 35
 Hickory 15 S 85 E 36
 Oak 30 S 77 W 20
 Sand Willy 3rd rate Oak, Hickory, Beech, Spruce
 East Between Sec^s 26 & 35 On Randome
 40.00 Temporary g^r. Sec. post
 79.31 Intersected East Boundary 78 lbs N. of post
 Ang^l Willy Oak, Beech, Hickory, Degraded Spruce, briars
 West Corrected
 13.00 A. B. Oak 30 in. diam?
 39.65 g^r. Sec. corner M. Oak 16 S 69 W 19
 do 26 S 28 E 25
 42.93 A. W. Oak 20 in. diam?
 79.31 Section corner
 North Between Sec^s 26 & 27
 5.00 A. Poplar 24 in. diam?
 40.00 g^r. Sec. corner B. Oak 30 S 65 E 8
 Hickory 9 S 88 W 39
 80.00 Set post corner of Sec^s 22, 23, 26, 27
 Spruce 4 S 51 E 4
 Oak 15 S 26 W 40
 Sand Broken 3rd rate Oak, Hickory &
 Ang^l. Spruce

East Between Sec^s 23 & 26 On Randome
 40.00 Temporary g^r. Sec. post
 79.28 Intersected East boundary 57 lbs South of post
 Sand Very Broken 3rd rate Oak & Hickory, Spruce briars
 West Corrected
 8.35 A. Hickory 30 in. diam?
 39.64 g^r. Sec. corner M. Oak 18 S 44 W 20
 B. Oak 30 North 24
 79.28 Section corner
 North Between Sec^s 22 & 23
 35.00 A. Hickory 36 in. diam?
 40.00 g^r. Sec. corner Beech 8 S 54 E 4
 do 15 S 13 E 21
 61.00 A. Brook 12 lbs S.E.
 69.00 A. Ash 20 in. diam?
 80.00 Set post corner of Sec^s 14, 15, 22, 23
 Beech 16 S 4 E 18
 do 9 S 20 E 16
 Sand 3rd rate, Beech, Oak, Hickory &
 East Between Sec^s 14 & 23 On Randome
 12.00 A. Brook 10 lbs S.E.
 15.00 A. Brook 8 lbs North
 40.00 g^r. Sec. Temporary post
 80.00 Intersected East Boundary 82 lbs North of post
 Sand Very Willy 3rd rate, Beech, Oak, Hickory &
 West Corrected
 40.00 g^r. Sec. corner Beech 20 S 43-38
 Poplar 15 S 3 E 8
 80.00 Section corner
 North Between Sec^s 14 & 15
 18.50 A. Stream 20 lbs East
 24.90 A. Beech 30 in. diam?
 40.00 g^r. Sec. corner Beech 30 S 47 W 37
 do 18 S 66 E 12
 46.50 A. Oak 30 in. diam?
 80.00 Set post corner of Sec^s 10, 11, 14, 15
 Hickory 10 S 81 E 36
 do 9 S 88 W 23
 Sand 3rd rate, Beech, Hickory, Oak, Ang^l. Spruce & briars
 East Between Sec^s 11 & 14 On Randome
 40.00 Temporary g^r. Sec. post
 79.65 Intersected East Boundary 13 lbs South of post
 Sand Broken 3rd rate, Oak, Beech, Ash, Ang^l. Spruce
 West Corrected
 10.04 A. Oak 14 in. diam?
 39.87 g^r. Sec. corner Beech 9 S 50 E 9
 do 10 S 39 W 19
 40.83 A. Oak 48 in. diam?
 79.65 Section corner
 North Between Sec^s 10 & 11
 33.23 A. Beech 18 in. diam?
 40.00 g^r. Sec. corner Beech 14 S 44 E 36
 Hickory 15 S 62 W 16
 50.28 A. Hickory 14 in. diam?
 71.00 A. Stream 50 lbs East
 80.00 Set post corner of Sec^s 2, 3, 10, 11
 Beech 12 S 16 E 20
 Oak 36 S 32 W 7
 Sand level 2nd rate, Oak, Beech, Poplar, Ang^l. Spruce
 East Between Sec^s 2 & 11 On Randome
 15.00 A. Stream 60 lbs East
 19.50 A. Stream 60 lbs S.E.
 40.00 Temporary g^r. Sec. post
 80.50 Intersected East Boundary 40 lbs North of post
 Sand & timber same
 West Corrected
 5.55 A. Beech 20 in. diam?
 40.25 g^r. Sec. corner Elm 5 S 8 W 15
 do 10 S 3 W 28
 80.50 Section corner

North Between Sec: 28 & 3
 9.25 A. Hickory 24 in. diam.
 40.00 gr. Sec. corner Oak Ash 36 S 29 W 11
 Beech 7 N 69 E 37
 69.05 Ash. Ash 24 in. diam.
 81.80 Intersected North Boundary 1.98 lbs West of post
 Beech 10 N 14 W 14
 W. Oak 24 S 47 E 25
 Sand 2nd rate. Beech. Oak. Poplar. Ang. Spruce
 North Between Sec: 33 & 34
 15.00 A. W. Oak 36 in. diam.
 40.00 gr. Sec. corner Gum 30 S 24 E 19
 Sugar 18 S 6 E 9
 56.90 A. W. Oak 12 in. diam.
 80.00 Set post corner of Sec: 27, 28, 33, 34
 Dogwood 5 S 50 E 30
 Walnut 18 N 20 W 23
 Sand 2nd rate. Beech. Oak. Hickory. Sugar. Spruce
 East Between Sec: 27 & 34 On Brandon
 40.00 Temporary gr. Sec. post
 79.58 Intersected East Boundary 30 lbs South of post
 Sand same. Beech. Oak. Poplar. Ang. Spruce. Sapsucker
 West Corrected
 6.74 Ash. Ironwood 4 in. diam.
 39.79 gr. Sec. corner Beech 30 S 38 E 29
 do 24 West 8
 39.87 A. Beech 24 in. diam.
 49.58 Section corner
 North Between Sec: 27 & 28
 22.00 A. Hickory 24 in. diam.
 40.00 gr. Sec. corner Beech 8 S 44 W 36
 do 10 East 19
 56.22 A. Beech 9 in. diam.
 80.00 Set post corner of Sec: 21, 22, 27, 28
 Hickory 12 S 13 E 35
 Beech 15 N 32 W 4
 Sand 2nd rate. Timber same
 East Between Sec: 22 & 27 On Brandon
 40.00 Temporary gr. Sec. post
 80.08 Intersected East Boundary 65 lbs North of post
 Sand 2nd rate. Beech. Oak. Poplar. Ang. Spruce. Sapsucker
 West Corrected
 12.80 A. Hickory 6 in. diam.
 40.04 gr. Sec. corner Beech 4 S 58 E 4
 Sugar 8 S 55 W 22
 44.72 A. Sugar 15 in. diam.
 80.08 Section corner
 North Between Sec: 21 & 22
 11.50 A. W. Oak 30 in. diam.
 40.00 gr. Sec. corner Beech 30 N 84 E 9
 Logwood 4 N 60 W 17
 62.15 A. Sugar 20 in. diam.
 75.50 A. Stream 25 lbs S. E
 77.00 A. Stream 20 lbs S. E
 80.00 Set post corner of Sec: 15, 16, 21, 22
 Elm 8 N 55 E 31
 Spruce 24 S 80 W 14
 Sand 2nd rate. Beech. Oak. Poplar. Ang. Spruce
 East Between Sec: 15 & 22 On Brandon
 18.00 A. Stream 25 lbs S. E
 40.00 Temporary gr. Sec. post
 80.07 Intersected East Boundary 63 lbs North of post
 Sand & timber same
 West Corrected
 5.93 A. Sugar 18 in. diam.
 40.03 gr. Sec. corner Beech 15 N 4 W 4
 Hickory 15 S 47 W 35
 45.11 A. Hickory 18 in. diam.
 80.07 Section corner do 10 N 18 19
 North Between Sec: 15 & 16
 18.80 A. Sugar 12 in. diam.
 40.00 gr. Sec. corner Beech 15 N 27 E 9
 do 15 S 82 W 17

60.81 A. Sapsucker 15 in. diam.
 80.00 Set post corner of Sec: 9, 10, 15, 16
 Sapsucker 6 S 55 E 19
 Chestnut 4 N 81 W 10
 Sand 2nd rate. Beech. Oak. Hickory. Ang. Spruce
 East Between Sec: 10 & 15 On Brandon
 40.00 Temporary gr. Sec. post
 40.50 A. Spruce 20 lbs S. E
 80.57 Intersected East Boundary 8 lbs North of post
 Sand & timber same
 West Corrected
 4.96 A. Sugar 18 in. diam.
 40.28 gr. Sec. corner Beech 6 N 44, 11 54
 Poplar 4 S 45 E 27
 45.04 A. Beech 10 in. diam.
 80.57 Section corner
 North Between Sec: 9 & 10
 14.24 A. W. Oak 12 in. diam.
 40.00 gr. Sec. corner Beech. Oak 3 S 11 E 16
 do 4 S 17 W 2
 62.09 A. Beech 12 in. diam.
 73.44 A. Stream 25 lbs East
 80.00 Set post corner of Sec: 3, 4, 9, 10
 Beech 15 S 89 E 12
 do 12 S 43 W 25
 Sand 2nd rate. Beech. Oak. Poplar. Ang. Spruce
 East Between Sec: 3 & 10 On Brandon
 40.00 Temporary gr. Sec. post
 42.50 Enter Swamp
 47.00 Leave Swamp
 57.80 A. Stream 25 lbs S. E
 79.62 Intersected East Boundary 4 lbs South of post
 Sand level 2nd rate. Beech. Hickory.
 Oak. Ang. Spruce
 West Corrected Between Sec: 3 & 10
 13.34 A. Beech 9 in. diam.
 39.81 Set gr. Sec. corner Beech 12 S 39 E 3
 do 10 S 25 W 19
 43.10 A. Beech 10 in. diam.
 79.62 Section corner
 North Between Sec: 3 & 4
 14.59 A. Beech 14 in. diam.
 40.00 gr. Sec. corner Sugar 4 S 31 W 17
 do 9 S 68 E 14
 61.76 A. Beech 4 in. diam.
 66.86 A. Stream 15 lbs East
 82.42 Intersected North Boundary 1.55 lbs West of post
 Beech 10 N 41 E 22
 do 14 S 34 W 27
 Sand level 2nd rate. Beech. Sugar. Poplar. Spruce
 North Between Sec: 32 & 33
 19.73 A. W. Oak 24 in. diam.
 40.00 gr. Sec. corner Ash 15 S 75 W 12
 Oak 6 N 47 W 10
 63.25 A. Stream 20 lbs S. W
 74.42 A. Maple 10 in. diam.
 80.00 Set post corner of Sec: 28, 29, 32, 33
 Beech 18 S 2 W 25
 do 12 N 1 W 35
 Hickory 3rd rate. Beech. Hickory. Beech. Oak. Logwood
 East Between Sec: 28 & 33 On Brandon
 40.00 Temporary gr. Sec. post
 80.85 Intersected East Boundary 1.26 lbs S. of post
 Sand & timber same
 West Corrected
 10.62 A. Hickory 20 in. diam.
 40.42 gr. Sec. post Elm 6 S 17 E 19
 Beech 15 N 4 W 19
 49.47 A. W. Oak 12 in. diam.
 80.55 Section corner

North Between Sec: 28 & 29
 20.67 A. B. Oak 5 in. diam.
 40.00 g^r. Sec. corner Beech 9 S 78 W 30
 do 12 S 62 E 13
 57.50 A. W. Oak 26 in. diam.
 80.00 S. post corner of Sec: 20, 21, 28, 29
 Beech 18 S 45 W 30
 do 10 S 72 E 19
 Sand Hilly 3rd rate Beech, Sugar, Ang. Sapras, Dogwood
 East Between Sec: 21 & 28 On Random
 40.00 Temporary g^r. Sec. post
 81.22 Intersected East Boundary 91 lbs South of post
 Sand Same Beech, Oak, Hickory, Ang. Sapras, Dogwood
 West corrected
 7.47 A. Gum 16 in. diam.
 40.61 g^r. Sec. corner Beech 13 S 35 W 4
 do 20 S 4 W 46
 44.53 A. Gum 18 in. diam.
 81.22 Section corner
 North Between Sec: 20 & 21
 22.26 A. Gum 20 in. diam.
 40.00 g^r. Sec. corner Dogwood 6 S 85 E 15
 Beech 10 S 76 E 18
 66.26 A. Sugar 14 in. diam.
 80.00 S. post on bank of stream 15 lbs East corner of
 Section 16, 17, 20, 21 Ironwood 4 S 45 E 34
 Sept. 15th Beech 20 S 48 W 15
 Hilly 3rd rate Oak, Hickory, Beech, Sapras, Dogwood
 East On Random Between Sec: 16 & 21
 40.00 Temporary g^r. Sec. post
 45.00 A. Stream 20 lbs S. E
 68.50 Same Stream East
 76.00 Same Stream S. E
 80.40 Intersected East Boundary 41 lbs South of post
 Sand level 3rd rate Beech, Sugar, Oak, Ang. Sapras
 Ang. Sapras &c.

West corrected Between Sec: 16 & 21
 4.08 A. Elm 6 in. diam.
 40.20 g^r. Sec. corner Beech 12 S 54 W 17
 Dogwood 4 S 23 E 29
 45.60 A. Gum 12 in. diam.
 50.40 Section corner
 North Between Sec: 16 & 17
 20.70 A. Poplar 18 in. diam.
 40.00 g^r. Sec. corner Poplar 18 S 61 E 14
 Hickory 20 S 81 W 18
 66.33 A. Ironwood 9 in. diam.
 80.00 S. post corner of Sec: 8, 9, 16, 17
 W. Oak 20 S 53 E 20
 do 30 S 6 E 18
 Sand Hilly 3rd rate Oak, Hickory, Poplar, Dogwood &c.
 East Between Sec: 9 & 16 On Random
 40.00 Temporary g^r. Sec. post
 80.37 Intersected East Boundary at post
 Sand Same Oak, Hickory, Beech, Dogwood, Sapras
 West corrected
 20.12 A. Hickory 5 in. diam.
 40.18 g^r. Sec. corner Beech 15 S 15 W 16
 do 16 S 53 E 56
 49.82 A. Hickory 20 in. diam.
 80.37 Section corner
 North Between Sec: 8 & 9
 25.14 A. Hickory 12 in. diam.
 40.00 g^r. Sec. corner Sugar S 25 E 25
 do 8 S 18 E 13
 55.33 A. Stream 10 lbs East
 72.57 A. Oak 24 in. diam.
 80.00 S. post corner of Sec: 4, 5, 8, 9
 Dogwood 6 S 7 E 12
 Oak 36 S 55 W 4
 Sand & timber same

East Between Sec: 4 & 9 On Random
 40.00 Temporary g^r. Sec. post
 80.15 Intersected East Boundary 25 lbs North of post
 Sand Hilly, Beech, Oak, Hickory, Dogwood, Sapras &c.
 West corrected
 2.72 A. Oak 36 in. diam.
 40.07 g^r. Sec. corner Beech 10 S 64 E 19
 do 10 S 7 W 13
 44.64 A. Poplar 18 in. diam.
 80.15 Section corner Sept. 16th
 North Between Sec: 4 & 5
 17.10 A. Poplar 36 in. diam.
 40.00 g^r. Sec. corner Oak 36 S 59 E 23
 Beech 10 S 83 W 30
 64.81 A. W. Oak 20 in. diam.
 84.06 Intersected North Boundary 5 lbs West of post
 Sugar 4 S 77 W 10
 do 12 S 63 E 37
 Sand Hilly 3rd rate Beech, Oak, Poplar, Ang. Sapras &c.
 North Between Sec: 31 & 32
 40.00 g^r. Sec. corner Oak 36 S 128 E 25
 W. Oak 4 S 68 W 10
 71.64 A. W. Oak 20 in. diam.
 80.00 S. post corner of Sec: 29, 30, 31, 32
 Ironwood 3 S 71 E 3
 Beech 9 S 53 W 18
 Sand Broken 3rd rate Oak, Hickory, Sapras &c.
 East Between Sec: 29 & 32 On Random
 40.00 Temporary g^r. Sec. post
 79.00 Intersected East Boundary 45 lbs South of post
 Hilly 3rd rate Oak, Beech, Hickory, Ang. Sapras
 West corrected
 2.31 A. Beech 14 in. diam.
 39.50 g^r. Sec. corner Oak 24 S 24 W 5
 Beech 4 S 22 W 13
 79.00 Section corner

West Between Sec: 30 & 31
 13.90 A. W. Oak 36 in. diam.
 40.00 g^r. Sec. corner Dogwood 10 S 11 W 26
 do 5 S 2 W 29
 46.15 A. Oak 36 in. diam.
 72.58 Intersected West Boundary 16 lbs South of post
 Oak 18 S 15 W 23
 Dogwood 3 S 65 E 5
 Sand Broken 3rd rate Oak &c.
 North Between Sec: 29 & 30
 40.00 g^r. Sec. corner W. Oak 30 S 43 E 16
 Oak 4 S 7 W 16
 44.40 A. B. Oak 30 in. diam.
 80.00 S. post corner of Sec: 19, 20, 29, 30
 Oak 20 S 31 E 20
 W. Oak 7 S 67 W 13
 Hilly 3rd rate Oak of various kinds, Ang. Sapras, Hickory
 East Between Sec: 20 & 29 On Random
 40.00 Temporary g^r. Sec. post
 78.00 Intersected East Boundary at post
 Broken 3rd rate Beech, Oak, Hickory, Ang. Sapras &c.
 West corrected
 39.00 g^r. Sec. corner Oak 11 S 57 W 17
 do 18 S 10 E 7
 78.00 Section corner
 West Between Sec: 19 & 30
 25.40 A. Oak 30 in. diam.
 30.00 A. Brook 12 lbs S. W
 40.00 g^r. Sec. corner W. Oak 5 S 20 W 3
 do 15 S 28 W 3
 73.50 Intersected Boundary 128 lbs South of post
 W. Oak 14 S 25 E 35
 do 18 S 36 W 24
 Sand Same Oak & Hickory, Ang. Sapras &c.

North Between Sec: 17 & 20
 25.00 A. Sugar 20 in. diam.
 40.00 gr. Sec. corner Hickory 6 S 65 E 6
 Dogwood 4 S 51 N 5
 66.25 A. Beech 18 in. diam.
 80.00 Set post corner of Sec: 17, 18, 19, 20
 Hickory 4 S 69 E 4
 A. Oak 5 S 86 N 16
 Small Hilly 3rd rate, Oak, Hickory, Beech &
 East Between Sec: 17 & 20 On Random
 40.00 Temporary gr. Sec. post
 79.07 Intersected East Boundary 67 lks South of post
 Small Broken 3rd rate, Oak, Beech, Hickory &
 West corrected
 4.31 A. Beech 20 in. diam.
 39.53 gr. Sec. corner Beech 9 S 39 E 14
 Sugar 14 S 19 N 33
 49.07 Section corner
 West Between Sec: 18 & 19
 5.40 A. Poplar 30 in. diam.
 15.50 A. Beech 10 lks South
 40.00 gr. Sec. corner Sugar 14 S 61 E 15
 Sassafras 4 S 54 N 5
 49.50 A. Oak tree 24 in. diam.
 73.72 Intersected West Boundary 18 lks South of post
 Oak 30 S 64 N 37
 Beech 20 S 40 E 7
 Hilly 3rd rate, Oak, Beech, Ang. Hickory & Sassafras
 North Between Sec: 17 & 18
 40.00 gr. Sec. corner June 20 S 31 E 26
 Hickory 16 S 76 N 11
 49.75 A. Oak 27 in. diam.
 80.00 Set post corner to Sec: 7, 8, 17, 18
 Sugar 24 S 17 N 44
 Ash 20 S 75 E 35
 Small same with Hickory

East Between Sec: 8 & 17 On Random
 40.00 Temporary gr. Sec. post
 49.00 Intersected East Boundary at post
 Hilly poor land, Oak, Hickory & Sassafras
 West corrected
 39.50 gr. Sec. corner Oak 14 S 25 N 16
 B. Oak 4 S 43 N 11
 79.00 Section corner
 West Between Sec: 7 & 18
 30.50 A. Poplar 20 in. diam.
 40.00 gr. Sec. corner Poplar 7 S 50 E 7
 Beech 30 S 77 E 28
 73.07 Intersected West Boundary 24 lks South of post
 B. Oak 30 S 30 N 21
 Beech - 34 S N 29
 Small Very Hilly 3rd rate, Oak, Hickory &
 North Between Sec: 7 & 8
 11.08 A. B. Oak 36 in. diam.
 40.00 gr. Sec. corner Poplar 5 S 72 N 2
 do 4 S 68 E 5
 54.50 A. Poplar 36 in. diam.
 80.00 Set post corner of Sec: 5, 6, 7, 8
 Hickory 4 S 68 E 20
 Poplar 5 S 45 N 14
 Small Broken 3rd rate, Oak, Poplar, Beech - Dogwood &
 East Between Sec: 5 & 8 On Random
 48.00 A. Beech 8 lks S. E
 40.00 Temporary gr. Sec. post
 78.33 Intersected East Boundary 64 lks South of post
 Hilly 3rd rate, Oak, Hickory & Beech - Sassafras &
 West corrected
 3.00 A. Oak 15 in. diam.
 39.16 gr. Sec. corner Hickory 4 S 3 N 76
 Beech 20 S 34 N 18
 78.33 Section corner

West Between Sec: 6 & 7
 22.50 A. Hickory 30 in. diam.
 40.00 gr. Sec. corner Ash 20 S 25 E 43
 Beech 9 S 14 N 19
 42.65 A. Poplar 48 in. diam.
 72.83 Intersected West Boundary 3.50 lks South of post
 Beech 14 S 29 N 2
 Poplar 6 S 72 E 21
 Small same Hilly, Oak, Hickory, Poplar, Ang. & Spruce
 North Between Sec: 5 & 6
 8.80 A. B. Oak 30 in. diam.
 28.00 A. Beech 8 lks S. E
 40.00 gr. Sec. corner Poplar 8 S 34 N 5
 a sugar 18 in. diam. Sassafras 6 S 70 N 5
 68.91 Intersected North Boundary 2.58 lks East of post
 85.42 Beech 4 S 3 E 7
 Sugar 9 S 10 E 22
 Small Hilly 3rd rate, Beech, Oak &
 Surveyed by Abraham Lee D. L.